

Client: Orvex Peptides

Certified: 09/02/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	Klow	Form	Lyophilized Powder
Batch	KLW80-001	Labeled Qty	80 mg
Cap Color	Solid Green	Crimp Color	Silver

TEST RESULTS

	REFERENCE STANDARD	RESULT
Blend Avg Purity	(>98%)	99.684%
Blend Avg Net Content	(~80mg)	83.73 mg
Blend Identification (LC-MS)	(Klow)	Klow
Endotoxin Safety Screen	(≤0.5 EU/mL)	PASS
Microbial Sterility Screen	(No Growth)	No Growth

BATCH CONFORMITY RESULTS

Vial	Blend Purity (%)	Blend Net Content (mg)
Vial 1	99.796	84.85
Vial 2	99.571	82.61
Batch Average	99.684%	83.73 mg

BLEND COMPONENT ANALYSIS

Component	Labeled	Measured
GHK-Cu	50 mg	52.81 mg
KPV	10 mg	10.21 mg
BPC-157	10 mg	10.66 mg
TB-500	10 mg	11.17 mg

HEAVY METAL SCREENING

Analyte	Result	Status
Arsenic (As)	Negative	
Cadmium (Cd)	Negative	
Lead (Pb)	Negative	
Mercury (Hg)	Negative	

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm

