KOVERA LABS

CERTIFICATE OF ANALYSIS

REPORT # KVR-2026-48682F

Client(s): Orvex Peptides **Certified:** 10/14/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	PT-141	**Form**	Lyophilized Powder
Batch	PT10-001	**Labeled Qty**	10 mg
Cap Color	White	**Crimp Color**	Silver

TEST RESULTS


	REFERENCE STANDARD	RESULT
Batch Avg Purity	(>98%)	99.685% ✓
Batch Avg Net Content	(~10mg)	10.96 mg ✓
Identity Confirmation (LC-MS)	(PT-141)	PT-141 ✓
Endotoxin Safety Screen	(≤0.5 EU/mL)	PASS ✓
Microbial Sterility Screen	(No Growth)	No Growth ✓
Heavy Metal Screening	(Negative)	Negative ✓

BATCH CONFORMITY RESULTS

Vial	Purity (%)	Net Content (mg)
Vial 1	99.793	10.93
Vial 2	99.577	10.99
Batch Average	**99.685%**	**10.96 mg**

MASS SPECTRUM


ESI + mode, MS1 centroid Charge states confirmed **2**



Each coloured stick is a confirmed charge state of the compound(s) above, drawn at the intensity measured for that ion. Height is relative to the strongest confirmed ion and is not proportional to concentration; content is reported in the Test Results above.

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm





Lemar Arghandiwal
Lab Director

koveralabs.com/verify

Report#: KVR-2026-48682F
Access Code: R2ZJON0